AMENDMENT C ATTORNEY DOCKET: 3968.062

IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

- (currently amended) A method of imparting odor to an odorless combustible gas, said method comprising: adding to said odorless combustible gas
 - A. at least one acrylic C_1 - C_{12} -alkyl ester,
 - B. at least one N compound with a boiling point of from 90 to 210°C and a molecular weight of from 80 to 160 and optionally
 - C. an antioxidant,

wherein components A and B are added to said combustible gas in an amount effective to act as a warning signal to warn of presence of said combustible gas in an enclosed space before an ignition limit of said combustible gas in said enclosed space is reached. reached, and wherein said components A and B are substantially sulfur-free.

2. (currently amended) [[A]] $\underline{\text{The}}$ method according to Claim 1, wherein at least two different acrylic C_1 - C_{12} -alkyl esters A are added.

U.S. Application No.: 09/762,847 AMENDMENT C

ATTORNEY DOCKET: 3968.062

3. (currently amended) [[A]] <u>The</u> method according to Claim 1, wherein <u>a</u> mixture of two different acrylic C_1 - C_6 -alkyl esters is added as component A.

- 4. (currently amended) [[A]] The method according to Claim 3, wherein the weight ratio of the two acrylic ester classes is 9:1 to 1:9.
- 5. (currently amended) [[A]] <u>The</u> method according to Claim 1, wherein a compound of the formula

is component B, where

 \mathbb{R}^1 to \mathbb{R}^4 , independently of one another, are hydrogen or \mathbb{C}_1 - \mathbb{C}_4 -alkyl.

- 6. (currently amended) [[A]] The method according to Claim 1, wherein component B is used in an amount of from 1 to 100 parts by weight per 1 000 1,000 parts by weight of A.
- 7. (currently amended) [[A]] <u>The</u> method according to Claim 1, wherein component C is used in an amount of from 0.01 to 5 parts by weight per 1,000 parts by weight of A.
- 8. (cancelled)

U.S. Application No.: 09/762,847 AMENDMENT C

ATTORNEY DOCKET: 3968.062

9. (currently amended) An odorless combustible gas comprising a warning signal comprising an odorizing composition comprising

- A. at least one acrylic C_1-C_{12} -alkyl ester,
- B. at least one N compound with a boiling point of from 90 to 210°C and a molecular weight of from 80 to 160 and optionally
- C. an antioxidant,

wherein components A and B are added to said combustible gas in an amount effective to act as a warning signal to warn of presence of said combustible gas in an enclosed space before an ignition limit of said combustible gas in said enclosed space is reached. reached, and wherein said components A and B are substantially sulfur-free.

- 10. (currently amended) [[A]] The gas according to Claim 9, wherein at least two different acrylic C_1 - C_{12} -alkyl esters are added.
- 11. (currently amended) [[A]] <u>The</u> gas according to Claim 9, wherein a mixture of two different acrylic C_1 - C_6 -alkyl esters are added as component A.
- 12. (currently amended) [[A]] The gas according to Claim 11, wherein the weight ratio of the two acrylic ester classes is 9:1 to 1:9.
- 13. (currently amended) [[A]] <u>The</u> gas according to Claim 9, wherein said at least one N compound is of the formula:

U.S. Application No.: 09/762,847

AMENDMENT C ATTORNEY DOCKET: 3968.062

, wherein \mathbb{R}^1 to \mathbb{R}^4 , independently of one another, are hydrogen or $\mathbb{C}_1\text{-}\mathbb{C}_4\text{-alkyl}$.

- 14. (currently amended) [[A]] The gas according to Claim 9, wherein said at least one N compound is present in an amount of from 1 to 100 parts by weight per 1,000 parts by weight of said Component A.
- 15. (currently amended) [[A]] <u>The</u> gas according to Claim 9, wherein at least said antioxidant is used in an amount of from 0.01 to 5 parts by weight per 1,000 parts by weight of said Component A.
- 16. (currently amended) [[A]] <u>The</u> method according to Claim 1, wherein said odor imparting components that are added to said combustible gas are non-corrosive.
- 17. (currently amended) [[A]] <u>The</u> gas according to Claim 9, wherein said odor imparting components that are added to said combustible gas are non-corrosive.
- 18. (currently amended) A method of odorizing an odorless combustible gas by adding to said odorless combustible gas
 - A. at least one acrylic C_1-C_{12} -alkyl ester,
 - B. at least one N compound with a boiling point of from 90 to 210°C and a molecular weight of from 80 to 160, wherein said at least one N compound is of the formula:

U.S. Application No.: 09/762,847 AMENDMENT C

ATTORNEY DOCKET: 3968.062

$$\begin{array}{c|c}
R^4 & N & R^1 \\
R^3 & N & R^2
\end{array}$$

wherein R^1 to R^4 , independently of one another, are hydrogen or C_1 - C_4 -alkyl, and optionally

C. an antioxidant. antioxidant,

wherein said components A and B are substantially sulfur-free.

- 19. (currently amended) A method of odorizing an odorless combustible gas by adding to said odorless combustible gas
 - A. at least one acrylic C_1 - C_{12} -alkyl ester,
 - B. at least one N compound of the formula:

wherein \mathbb{R}^1 to \mathbb{R}^4 , independently of one another, are hydrogen or $\mathbb{C}_1\text{-}\mathbb{C}_4\text{-alkyl}$, and optionally

C. an antioxidant. antioxidant,

wherein said components A and B are substantially
sulfur-free.

ATTORNEY DOCKET: 3968.062

20. (currently amended) [[A]] The method according to Claim 19, wherein components A and B are added to said combustible gas in an amount effective to act as a warning signal to warn of presence of said combustible gas in an enclosed space before an ignition limit of said combustible gas in said enclosed space is reached.

- 21. (currently amended) An odorless combustible gas comprising an odorizing composition comprising
 - A. at least one acrylic C_1 - C_{12} -alkyl ester,
 - B. at least one N compound with a boiling point of from 90 to 210°C and a molecular weight of from 80 to 160, wherein said at least one N compound is of the formula:

wherein \mathbb{R}^1 to \mathbb{R}^4 , independently of one another, are hydrogen or $\mathbb{C}_1\text{-}\mathbb{C}_4\text{-alkyl}$, and optionally

C. an antioxidant.—antioxidant,

wherein said components A and B are substantially
sulfur-free.

22. (currently amended) An odorless combustible gas comprising a warning signal comprising an odorizing composition

U.S. Application No.: 09/762,847

AMENDMENT C ATTORNEY DOCKET: 3968.062

comprising:

A. at least one acrylic C_1 - C_{12} -alkyl ester,

B. wherein at least one N compound is of the formula:

$$\begin{array}{c|c}
R^4 & N & R^1 \\
R^3 & N & R^2
\end{array}$$

wherein \mathbb{R}^1 to \mathbb{R}^4 , independently of one another, are hydrogen or $\mathbb{C}_1\text{-}\mathbb{C}_4\text{-alkyl}$, and optionally

C. an antioxidant. antioxidant,

wherein said components A and B are substantially
sulfur-free.

- 23. (currently amended) [[A]] The gas according to Claim 22, wherein components A and B are added to said combustible gas in an amount effective to act as a warning signal to warn of presence of said combustible gas in an enclosed space before an ignition limit of said combustible gas in said enclosed space is reached.
- 24. (currently amended) An odorless combustible gas odorizing agent comprising:
 - A. at least one acrylic C_1-C_4 -alkyl acrylate,
 - B. at least one compound of the formula:

U.S. Application No.: 09/762,847

AMENDMENT C ATTORNEY DOCKET: 3968.062

$$\begin{array}{c|c}
R^4 & N & R^1 \\
R^3 & N & R^2
\end{array}$$

wherein ${\bf R}^1$ to ${\bf R}^4,$ independently of one another, are hydrogen or $C_1\text{-}C_4\text{-alkyl},$ and optionally

C. an antioxidant. antioxidant,